INDEX

Afzal, M., *see* Khan, A. H.

Bould, C., availability of nitrogen in composts prepared from waste materials, 103–10.
Braude, R., progeny testing of dairy bulls, 90–102.
Brett, C. C., *see* Hutchinson, J. B.
Bulls, dairy, progeny testing of, 90–102; inheritance-curves method, 93–4; inheritance-grid method, 91–2; performance-card method, 94, 95; progeny-test abstract and its interpretation, 100, 101, 102; records, 98–100, 107; tabular method, 94, 96, 97.

Cacao, field experiments at the West African Research Institute, 241–8; co-operation with agricultural departments, 248; experimental difficulties and technique, 244–6; old and new experimental land, 241–4; soils, 244; work at the sub-stations, 246–7.
Composts from waste materials, availability of nitrogen in, 103–10; C/N ratio, 103–4; estimation of available nitrogen, 104–6; field experiments, 106, 107; nitrogen-changes during decomposition, 106–9.
Cotton crop, use of seed from different pickings, 39–46; co-efficients of earliness, 44–5; experimental technique, 40–1; germination, 41–2; yields, 42–4.
Cotton industry of N. Nigeria, economic aspects of, 178–86; exports, 178–9; factors affecting production, 180–1; ginning, 183; market organization, 182; prices and transport, 180, 183–4; returns to farmer, 179–80; State aids and legislation, 184–6.

Dastur, N. N., *see* Sen, K. C.
Dijkstra, N. D., silage-making in the Netherlands, 231–6.
Duckworth, J., the three-quarter-bred Holstein–Zebu heifer. Pt. I. Blood changes during the first year of life, 14–22. Pt. II. Growth from birth to two years of age, 207–20.

Golledge, A., *see* Young, R. S.
Grasses and herbs on hay plots at Cockle Park, ash-contents of, 221–30; analytical figures, 224–5; experimental technique, 222–3; manurial effects, 228–30; results and discussion, 223 sqq.; buttercup, 223, 226; crested dogstail, 227; red fescue, 227–8; ribgrass, 223; sheep's sorrel, 226; yellow rattle, 226–7; Yorkshire fog, 227.
Greer, E. N., *see* Hutchinson, J. B.

Heifer, the three-quarter-bred Holstein–Zebu. Pt. I, 14–22. Blood changes during the first year of life; characteristics of the breeds, 14; erythrocytes and leucocytes, 15 sqq.; haemoglobin, 16 sqq.; mean corpuscular volume, 20. Pt. II, 207–20. Growth from birth to two years of age; feeding, 208–10, 215–17; growth-measurements, 210–15, 217–18; management, 208.
Highveld, Transvaal, effects of grazing intensity and fertilizer treatment on, 111–18; chemical composition of herbage, 112–13, of roots, 114–15; experimental technique, 111–12; herbage data, 112, 113; nutrient-uptake, 113; recovery, growth, and botanical changes, 115, 116, 117; root-weights, 113–14, 115, 116.
Hutchinson, J. B., resistance of wheat to sprouting in the ear, 23–32.

Irrigation from ground-water for food production in desert areas, 47–54; irrigation, sources and value of, 48–9, 53; tube-wells: Ganges Valley scheme, 50–2, methods of drilling, 52, power-operated in the United Provinces, 49; tube-well water, sources of, 50–1.

Khan, A. H., use of seed from different pickings of the cotton crop, 39–46.

Land tenure, colonial, research on, 33–8; influence of new conditions, 35; need of better farming, 35–6, of a new outlook, 36–8, of research, 37; tenure systems, 33–4.
Liversage, V., colonial land-tenure research, 33–8.

Maule, J. P., breeding for milk in a Mediterranean environment, I. Dairy cattle, 119–33.
Milk, breeding for, in a Mediterranean environment, 119–33; climate, 119–20, 121; dairy cattle, importation of, 122–3; development of industry, 123 sqq.; feeding and management, 125–6; interval between calves, 130; lactation records, &c., 124–5, 126–31; life-span of cows, 131; wastage, 131.
Milk and milk products in India, 195–206; buffalo-, cow-, goat-, and sheep-milk, composition of, 196–8; cheese, 202–3; *chhana*, 201–2; condensed milk, &c., 202; *dahi*, 199; *ghee*, 200–1; *khoa*, 201; *makhan*, 199–200; nutritive values, 204; vitamins, 203–4.
Milton, W. E. J., buried viable-seed content of upland soils in Montgomeryshire, 163–77.

Padwick, G. Watts, plant protection and the food crops of India. Pt. I. Plant pests and diseases of rice, wheat, sorghum, and gram, 55–64. Pt. II. Plant pests and diseases of potatoes and sugar-cane; organization, machinery, and equipment for plant protection, 65–75.

Phosphatic fertilizers, relative effectiveness of, 1–13; field technique, 3; phosphates tested, 1–3; pot technique, 3; results, 3–7, 9–13; soils, 1.
Plank, J. E. van der, relation between the size of fields and the spread of plant-disease into them. Pt. I, Crowd diseases, 134–42.
Plant-disease, relation of spread to size of field. Pt. I, 134–42; crowd diseases, control of, by isolation of fields, 136–7, by mixed cropping, 135–6; effect of size of field on multiplication of infection, 141–2; relation between isolation and enlargement of fields, 138–41; virus diseases, 137–8.
Plant protection and the food crops of India. Pt. I, 55–64; gram, 63; rice, 55–8; sorghum, 61–2; wheat, 58–61. Pt. II, 65–75; machinery and equipment, 72–5; organization, 70–2; potatoes, 65–7; sugar-cane, 67–70.

Rattray, G. B., *see* Duckworth, J.
Reith, J. W. S., *see* Williams, E. G.
Ripley, P. O., silage in Canada, 237–40.

Seeds, buried, viable, in upland soils of Montgomeryshire, 163–77; areas and method of investigation, 163–4; common names of some species, 177; germination, 169–72, 174–5; life-span in soil, 172; numbers of, 164–7: in lower soil, 168, 169, in top soil, 165, 168; origin of, 172–3, 173–4.
Sen, K. C., milk and milk products in India, 195–206.
Sheep, Egyptian, 79–89; characters of, 79; crossing of Ossimi and Suffolk breeds, 80 sqq.; experimental technique, 81; results, 82–9.
Sidky, A. R., the Egyptian sheep: an attempt to improve quality and quantity, 79–89.
Silage in Canada, 237–40; corn (maize) silage, 237–8; forage-crop harvesters, 239–40; grass and legume silage, 238–9; other silage crops, 240; tower silo, 240.
Silage-making in Denmark, 155–62; A.I.V.-acid, comparison with formic acid, 158, molasses, 157–8, use of, for sugar-beet tops, 159; A.I.V.-silage, effect of, on milk quality, 160–1, experiments with, 156–61; milch cows, war rations of, 161; sales of A.I.V.- and formic acids, 156; silages, analyses of, 159–60; silos, census of, 155.
Silage-making in the Netherlands, 231–6, methods: cold fermentation, 231–2; 'drowning', 235; formic acid, 233; Harderland's, 234; mineral acid, 232–3; molasses, 232; solid carbon dioxide, 234; warm fermentation, 231; whey and skim milk, 233–4; 'Vitasan', 234–5.
Soils, composition of woodland, and wood ash in North Rhodesia, 76–8; composition of soil, 77, of wood, 76, of wood ash, 77; native practice, 77; soils, nature of N. Rhodesian, 76.
Stampe, Sir William, irrigation from the ground-water for stimulating food production in desert areas, 47–54.
Steensberg, V., recent developments in silage-making in Denmark, 155–62.
Stevenson, G. C., sugar-cane varieties in British Guiana: an historical review, 143–54.
Sugar-cane varieties in British Guiana, 143–54; Bourbon cane, 145–8; Cheribon canes, 148–9; Creole cane, 143–5; noble cane seedlings, 149–51; other historical varieties, 149; seedlings from nobilizations of *S. spontaneum* and *S. barberi*, 152–4; variety plantings, 153, 154.

Thomas, Brynmor, and Thompson, A., ash-content of some grasses and herbs on the Palace Leas hay plots at Cockle Park, 221–30.
Thompson, A., *see* Thomas, Brynmor.
Turner, R., economic aspects of the cotton industry in Northern Nigeria, 178–86.

Voelcker, O. J., West African Cacao Research Institute: field experiments, 241–8.

Watt, B. D., problems and possibilities of wheat-growing in Australia, 187–94.
Weinmann, H., effects of grazing intensity and fertilizer treatment on Transvaal Highveld, 111–18.
Wheat, resistance of, to sprouting in the ear, 23–32; experimental technique, 24–5; germination of grain in the ear and influence of temperature, 25 sqq.; pot experiments, 28–9; varieties tested, 27, 28.
Wheat-growing in Australia, 187–94; climatology, 187–8; drought and soil erosion, 192–3; fertilizers, 188–9; future of, 193–4; hazards, 191–2; need of alternate husbandry, 193; profitability, 191; soils, 188–9; yields, 189–90.
Williams, E. G., relative effectiveness of phosphate fertilizers, 1–13.

Young, R. S., composition of woodland soils and wood ash in Northern Rhodesia, 76–8.